

C-USB/AB

USB 2.0 A (M) to B (M) Cable



Kramer's C-USB/AB is a high-speed USB 2.0 type-A male to type-B male cable used to connect computers and peripheral devices such as, printers, scanners, cameras, keyboards, mice and other digital devices for superior signal transfer of up to 480Mbps

FEATURES

USB Type-A Male to Type-B Male
Transfer Rates up to 480Mbps
Foil & Overall Braid Provide Maximum Protection Against EMI/RFI
Molded Strain Relief
Compatible with USB Specifications 1.0 and 1.1
RoHS Compliant

Varied Selection of Lengths - Available in versions of 3 to 15ft (0.9 to 4.6m)



TECHNICAL SPECIFICATIONS

TYPE: USB 2.0 High speed

MAX. DATA RATE: 480Mbps

CONNECTOR A: USB type-A male

CONNECTOR B: USB type-B male

CONNECTOR

PLATING:

Nickel

CONDUCTORS: 3-6ft: 28AWG; 10-15ft: 28/24AWG

OVERALL SHEATH

DIAMETER:

3-6ft: 3.5mm, 10-15ft: 4.5mm

OUTER SHEATH

COLOR:

Gray

STANDARDS: 2011/65/EU



CONFIGURATIONS

C-USB/AB-3	USB 2.0 A (M) to B (M) Cable
C-USB/AB-6	USB 2.0 A (M) to B (M) Cable
C-USB/AB-10	USB 2.0 A (M) to B (M) Cable
C-USB/AB-15	USB 2.0 A (M) to B (M) Cable